

1. Identification code of the product type :

Closet - (See the list attached)

2. Intended use :

Personal Hygiene (PH)

3. Manufacturer:

Selvilitepe OSB Mah. 2005 Cadde No:2/2b Turgutlu-MANİSA/ TURKEY

Tel : 00 90 236 313 96 13 / 313 15 45

Fax : 00 90 236 313 77 64

Email : kubilay.alas@seramiksan.com.tr

Web : www.seramiksan.com.tr

4. Authorised representative

5. System of assessment and verification of constancy of performance (AVCP):

System 4

6. Harmonised standard

EN 997

7. Declared performance

Essential characteristics	Performance	Harmonized technical specification
Capacity of flushing water (CF)	Confirmed	EN 997+A1:2019
Backflow prevention (of foul air) (BP)	Confirmed	
Cleanability (CA)	Confirmed	
Load resistance (LR) *	Confirmed	
Waterleaktightness/leaktightness (WL)	Confirmed	
Valve reliability (VR)	Confirmed	
Durability (DA)	Confirmed	
* Code-based load-resistant products are listed in the attached list.		

8. Appropriate technical documentation

EN 997+A1:2019

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it is effect in the United Kingdom under the sole responsibility of the manufacturer identified above.

ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
1	A031001H	OCEAN PLUS BTW CLOSE-COUPLED WC (LUSTRATION)	OCEAN PLUS	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
2	A031011H	OCEAN PLUS BLACK BTW CLOSE-COUPLED WC (LUSTRATION)	OCEAN PLUS	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
3	A031002H	OCEAN PLUS BTW CLOSE-COUPLED (NO LUSTRATION)	OCEAN PLUS	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
4	A031012H	OCEAN PLUS BLACK BTW CLOSE-COUPLED (NO LUSTRATION)	OCEAN PLUS	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
5	A031111H	OCEAN PLUS WALL-HUNG WC PAN (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
6	A031115H	OCEAN PLUS WALL-HUNG WC PAN RED (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
7	A031116H	OCEAN PLUS WALL-HUNG WC PAN BROWN (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
8	A031121H	OCEAN PLUS WALL-HUNG WC PAN BLACK (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
9	A031123H	OCEAN PLUS WALL-HUNG WC PAN ORANGE (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
10	A031112H	OCEAN PLUS WALL-HUNG WC PAN (NO LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
11	A031114H	OCEAN PLUS WALL-HUNG WC PAN RED (NO LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
12	A031117H	OCEAN PLUS WALL-HUNG WC PAN BROWN (NO LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
13	A031122H	OCEAN PLUS WALL-HUNG WC PAN BLACK (NO LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
14	A031124H	OCEAN PLUS WALL-HUNG WC PAN ORANGE (NO LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
15	A031171H	OCEAN PLUS RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	OCEAN PLUS	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
16	A061001H	LUNA BTW CLOSE-COUPLED WC (LUSTRATION)	LUNA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA



seramiksan | VITRIFIYE

CLOSET DECLARATION OF PERFORMANCE

DOP No: FR-05-309

Standart No: EN 997



ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
17	A061002H	LUNA BTW CLOSE-COUPLED WC (NO LUSTRATION)	LUNA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
18	A061040H	LUNA WALL-HUNG WC PAN (LUSTRATION)	LUNA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
19	A061041H	LUNA WALL-HUNG WC PAN (NO LUSTRATION)	LUNA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
20	A011161H	TERRA BTW CLOSE-COUPLED WC MATT ANTHRACITE (LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
21	A011162H	TERRA BTW CLOSE-COUPLED WC MATT ANTHRACITE (NO LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
22	A011001H	TERRA BTW CLOSE-COUPLED WC (LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
23	A011002H	TERRA BTW CLOSE-COUPLED WC (NO LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
24	A011031H	TERRA SINGLE BTW WC PAN (LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
25	A011032H	TERRA SINGLE BTW WC PAN (NO LUSTRATION)	TERRA	Not Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
26	A011101H	TERRA WALL-HUNG WC PAN (LUSTRATION)	TERRA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
27	A011102H	TERRA WALL-HUNG WC PAN (NO LUSTRATION)	TERRA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
28	A011114H	TERRA PLUS RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	TERRA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
29	A011115H	TERRA PLUS RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	TERRA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA
30	A041001H	SILVA BTW CLOSE-COUPLED WC (LUSTRATION)	SILVA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
31	A041002H	SILVA BTW CLOSE-COUPLED WC (NO LUSTRATION)	SILVA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
32	A041040H	SILVA WALL-HUNG WC PAN (LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4,5/6A WL-CF-BP-CA-LR-DA

Document No: FR-05-309/ Release Date : 16.09.2022 / Rev.No:00 / Rev.Date: / Page No : 3/7

Quality Assurance Manager: Kubilay ALAS

Factory Manager: Savaş GÜLDÜREN



seramiksan | VITRİFİYE

CLOSET DECLARATION OF PERFORMANCE

DOP No: FR-05-309

Standart No: EN 997

UK
CA

ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
33	A041041H	SILVA WALL-HUNG WC PAN (NO LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
34	A041043H	SILVA WALL-HUNG WC PAN BLACK (LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
35	A041044H	SILVA WALL-HUNG WC PAN ORANGE (LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
36	A041045H	SILVA WALL-HUNG WC PAN RED (LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
37	A041046H	SILVA WALL-HUNG WC PAN BROWN (LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
38	A041042H	SILVA WALL-HUNG WC PAN BLACK (NO LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
39	A041049H	SILVA WALL-HUNG WC PAN ORANGE (NO LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
40	A041048H	SILVA WALL-HUNG WC PAN RED (NO LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
41	A041047H	SILVA WALL-HUNG WC PAN BROWN (NO LUSTRATION)	SILVA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
42	A021001H	VOLCANO BTW CLOSE-COUPLED WC (LUSTRATION)	VOLCANO	Not Applicable	EN 997-CL1-4.5 WL-CF-BP-CA-VR-DA
43	A021002H	VOLCANO BTW CLOSE-COUPLED WC (NO LUSTRATION)	VOLCANO	Not Applicable	EN 997-CL1-4.5 WL-CF-BP-CA-VR-DA
44	A021030H	VOLCANO SINGLE BTW WC PAN (LUSTRATION)	VOLCANO	Not Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
45	A021031H	VOLCANO SINGLE BTW WC PAN (NO LUSTRATION)	VOLCANO	Not Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
46	A021101H	VOLCANO WALL-HUNG WC PAN (LUSTRATION)	VOLCANO	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
47	A021102H	VOLCANO WALL-HUNG WC PAN (NO LUSTRATION)	VOLCANO	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
48	A021111H	VOLCANO RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	VOLCANO	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA

Document No: FR-05-309/ Release Date : 16.09.2022 / Rev.No:00 / Rev.Date: / Page No : 4/7

Quality Assurance Manager: Kubilay ALAS

Factory Manager: Savaş GÜLDÜREN



seramiksan | VITRIFIYE

CLOSET DECLARATION OF PERFORMANCE

DOP No: FR-05-309

Standart No: EN 997

UK
CA

ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
49	A021112H	VOLCANO RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	VOLCANO	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
50	A051001H	NATURA S-TRAP CLOSE-COUPLED WC (LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
51	A051011H	NATURA S-TRAP CLOSE-COUPLED WC (NO LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
52	A051002H	NATURA P-TRAP CLOSE-COUPLED WC (LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
53	A051012H	NATURA P-TRAP CLOSE-COUPLED WC (NO LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
54	A051040H	NATURA PLUS WALL-HUNG WC PAN (LUSTRATION)	NATURA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
55	A051041H	NATURA PLUS WALL-HUNG WC PAN (NO LUSTRATION)	NATURA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
56	A051090H	NATURA PHYSICALLY DISABLED WC PAN (LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
57	A051091H	NATURA PHYSICALLY DISABLED WC PAN (NO LUSTRATION)	NATURA	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
58	A091001H	BOLD RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	BOLD	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
59	A091002H	BOLD RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	BOLD	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
60	A091030H	BOLD RIM-OUT BTW CLOSE-COUPLED WC (LUSTRATION)	BOLD	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
61	A091032H	BOLD RIM-OUT BTW CLOSE-COUPLED WC (NO LUSTRATION)	BOLD	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
62	A101001H	PETITE WALL-HUNG WC PAN (LUSTRATION)	PETITE	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
63	A101002H	PETITE WALL-HUNG WC PAN (NO LUSTRATION)	PETITE	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
64	A101003H	PETITE RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	PETITE	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA

Document No: FR-05-309/ Release Date : 16.09.2022 / Rev.No:00 / Rev.Date: / Page No : 5/7

Quality Assurance Manager: Kubilay ALAS

Factory Manager: Savas GÜLDÜREN



seramiksan | VITRİFİYE

CLOSET DECLARATION OF PERFORMANCE

DOP No: FR-05-309

Standart No: EN 997

UK
CA

ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
65	A101004H	PETITE RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	PETITE	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
66	A101101H	PETITE RIM-OUT BTW CLOSE-COUPLED WC (LUSTRATION)	PETITE	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
67	A101102H	PETITE RIM-OUT BTW CLOSE-COUPLED WC (NO LUSTRATION)	PETITE	Not Applicable	EN 997-CL1-4,5 WL-CF-BP-CA-VR-DA
68	A031151H	HILL RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
69	A0311251H	HILL RIM-OUT MATT WHITE WALL-HUNG WC PAN (LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
70	A0311221H	HILL RIM-OUT MATT BLACK WALL-HUNG WC PAN (LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
71	A0311211H	HILL RIM-OUT BLACK WALL-HUNG WC PAN (LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
72	A031161H	HILL RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
73	A031281H	HILL RIM-OUT MATT WHITE WALL-HUNG WC PAN (NO LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
74	A031271H	HILL RIM-OUT MATT BLACK WALL-HUNG WC PAN (NO LUSTRATION)	HILL	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
75	A141101H	SATÜRN RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	SATÜRN	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
76	A141151H	SATÜRN RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	SATÜRN	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
77	A141201H	SATÜRN MATT BLACK RIM-OUT WALL- HUNG WC PAN (LUSTRATION)	SATÜRN	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
78	A141251H	SATÜRN MATT BLACK RIM-OUT WALL- HUNG WC (NO LUSTRATION)	SATÜRN	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
79	A121111H	STELLA RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	STELLA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA

Document No: FR-05-309/ Release Date : 16.09.2022 / Rev.No:00 / Rev.Date: / Page No : 6/7

Quality Assurance Manager: Kubilay ALAS

Factory Manager: Savaş GÜLDÜREN



seramiksan | VITRİFİYE

CLOSET DECLARATION OF PERFORMANCE

DOP No: FR-05-309

Standart No: EN 997

UK
CA

ITEM	CODE	PRODUCT NAME	SERIES NAME	LOAD RESISTANCE	DESIGNATION CODE
80	A121112H	STELLA RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	STELLA	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
81	A151001H	NEON WALL-HUNG WC PAN (LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
82	A151002H	NEON WALL-HUNG WC PAN (NO LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
83	A151101H	NEON RIM-OUT WALL-HUNG WC PAN (LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
84	A151102H	NEON RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
85	A151201H	NEON RIM-OUT WALL-HUNG WC WC PAN (LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA
86	A151202H	NEON RIM-OUT WALL-HUNG WC PAN (NO LUSTRATION)	NEON	Applicable	EN 997-CL1-4/4.5/6A WL-CF-BP-CA-LR-DA

Document No: FR-05-309/ Release Date : 16.09.2022 / Rev.No:00 / Rev.Date: / Page No : 7/7

Quality Assurance Manager: Kubilay ALAS

Factory Manager: Savaş GÜLDÜREN